

A lightweight, minimalist harness for work positioning and fall arrest designed to deliver exceptional comfort. Equipped with special loops for connecting the Helpstep (ref.2062, sold separately) foot loops to help prevent suspension trauma in the event of a fall.






4 attachment points made of reinforced webbing: 1 sternal double textile loop and 1 dorsal for fall arrest, 2 side for work positioning.

Steel components.

Equipped with NFC TRACK tag for digital identification.

2 sizes.



Ref.	Product name	Size	Weight		Chest 	Waist 	Legs 	Height 	CE		EAC	Attachment points 
			g	oz	A (cm)	B (cm)	C (cm)	D (cm)	EN 358	EN 361		
2120	ORBITAL	S-L	1330	46.9	80-120	70-110	45-65	55-75	•	•	•	
		L-XXL	1380	48.7	90-140	80-130	55-75	65-85	•	•	•	

- 1 Polyester main webbings width 44 mm.
- 2 CE label including serial number
- 3 Quick adjustment chest buckles made of carbon steel.
- 4 "A/2" front attachment point for fall-arrest. Made with a double layer of webbing.
- 5 Sternal plastic buckle.
- 6 New construction with movable side junctions improves suspension comfort.
- 7 Quick adjustment belt buckle made of carbon steel. Openable.
- 8 Side attachment points for work positioning. Made with a double layer of webbing.
- 9 Polyamide leg-loops webbings width 25 mm.
- 10 Patented "SICURA" quick adjustment buckles.
- 11 Leg-loops padding with double-thickness: 6 mm for the groin area, 9 mm for the back support, Inside layer made of breathable 3D mesh.
- 12 Back padding. Thickness 3 mm. Inside layer made of breathable 3D mesh.
- 13 "A" back attachment point for fall-arrest. Made with a double layer of webbing.
- 14 Central webbing for belt support.
- 15 Loops for the installation of "Help Step" suspension trauma straps ref.2062
- 16 Belt padding with double-thickness: 6 mm for the perimeter, 9 mm for the central part. Inside layer made of breathable 3D mesh.
- 17 2 wide gear-loops.
- 18 Small loops for the installation of the "Tools- Bag" ref.2195.
- 19 Leg-loops back webbings. Elastic and adjustable.
- 20 Webbing keepers for the size adjustment of legloops padding.
- 21 Equipped with NFC TRACK tag for digital identification.



C.A.M.P. presents in this catalog a **complete solution for the digital management of PPE**, both for allocation to users and for periodic inspections: the **NFC TRACK hardware tags on the products** work seamlessly with the **G.T.S. - Gear Tracking System software** to make the system very intuitive and easy to use.

**NFC TRACK chips are installed on many C.A.M.P. products** (harnesses, helmets, Retexo lanyards). They **can also be attached directly on any PPE** by the user, so that the user can assign the PPE data to the chip by means of the C.A.M.P. G.T.S.

**NFC (Near Field Communication) technology** is now present on most smartphones and used every day for smart payments. Today, it also represents the future for the individual identification of products.

The **HF RFID (High Frequency Radio Frequency Identification)** communication system on which NFC is based allows the C.A.M.P. NFC TRACK to be easily read using any latest generation smartphone or for professionals using a PC reader.



**NFC TRACK chip installed!**



## - G.T.S. - GEAR TRACKING SYSTEM

G.T.S. allows professionals to easily manage PPE both via the smartphone app (available on Play Store and Apple Store) and from a PC via the web app.

Two different packages allow for carrying out periodic inspections and also for managing the company allocation of PPE to its employees.

The database of **G.T.S. includes the technical information of all C.A.M.P. products** for work at height and a **large number of other products** posted by other users of the community with publicly available information.

